

## Digital Thermometer

# KPS-TM320



- 2-channel digital thermometer
- Compatible with type J, K, T and E thermocouples
- Results in °C, °F and K
- Measurement of the temperature in both channels and of the temperature difference between both
- Maximum, minimum and average values
- Compensation for thermocouple drift
- Auto power off function
- Self-calibration
- Hold measurements on screen
- Low battery indication
- Dimensions: 190 x 89 x 42 mm
- Power supply: 6F22 9V battery

# KPS-TM320

## Digital Thermometer

General	
Product Size	190mm×89mm×42mm
Product Weight	350g
Power Supply	1×9V 6F22 Battery
Certificate	CE/ETL/RoHS

Specs	
Injection Method	Dual
Channel	T1/ T2/ T1-T2
Auto Power Off	✓
Data Hold	✓
MAX/MIN/AVG	✓
Low Battery Display	✓

# KPS-TM320

## Digital Thermometer

UNITS	THERMOPAR	SCALE	RESOLUTION	ACCURACY
Temperature	K	-200 ÷ 1372 °C	$< 1000;$ 0,1°C/0.1°F/0,1k $>1000;$ 1°C/1°F/1k	$>-10^{\circ}\text{C};$ $\pm(0.2\%+0.5^{\circ}\text{C}) -$ $10^{\circ}\text{C}\div 200^{\circ}\text{C};$ $\pm(0.2\%+1^{\circ}\text{C}) <-$ $200^{\circ}\text{C};$ $\pm(0.2\%+1.5^{\circ}\text{C})$
		-328 ÷ 2501 °F		
	J	-210 ÷ 1200 °C		
		-346 ÷ 2192 °F		
	T	-250 ÷ 400 °C		
		-418 ÷ 752 °F		
E	-150 ÷ 1000 °C			
	-238 ÷ 1832 °F			

### Product Code Information

SKU	KPSTM320CBINT
EAN code	8435394747460
UPC code	810053670545
Pcs/export carton	20