



## TP-Link Omada EAP235-Wall 1167 Mbit/s Bianco Supporto Power over Ethernet (PoE)

**Marchio :** TP-Link

**Famiglia del prodotto:**  
Omada

**Codice prodotto:** EAP235-  
WALL


**Nome del prodotto :** EAP235-  
Wall

TP-Link Omada EAP235-Wall. 2.4 GHz, 5 GHz, Velocità massima di trasferimento dati: 1167 Mbit/s. Algoritmi di sicurezza supportati: 64-bit WEP, 128-bit WEP, 152-bit WEP, 802.1x RADIUS, HTTPS, SNMP, SNMPv3, SSH, WPA,.... Velocità trasferimento Ethernet LAN: 10,100,1000 Mbit/s. Supporto Power over Ethernet (PoE). Colore del prodotto: Bianco



Features		Power	
2.4 GHz *	✓	Power over Ethernet (PoE) *	✓
5 GHz *	✓	Power over Ethernet (PoE) type supported	Active PoE, Passive PoE
6 GHz *	✗	Power consumption (typical)	24.4 W
Maximum data transfer rate *	1167 Mbit/s	<b>Design</b>	
Maximum data transfer rate (2.4 GHz)	300 Mbit/s	Placement *	Wall
Maximum data transfer rate (5 GHz)	867 Mbit/s	Product colour *	White
Ethernet LAN data rates	10,100,1000 Mbit/s	Cable lock slot	✓
Frequency band	2.4 - 5 GHz	Reset button	✓
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.1x, IEEE 802.3af, IEEE 802.3at	LED indicators	LAN, Power, Status, WAN, WLAN
Cabling technology	10/100/1000Base-T(X)	<b>Antenna</b>	
Automatic channel selection	✓	Antenna type *	Internal
Automatic channel scanning	✓	Antenna features	Integrated antenna
MIMO	✓	Antennas quantity	2
MIMO type	Multi User MIMO	Antenna gain level (max)	4 dBi
Wi-Fi Multimedia (WMM)/(WME)	✓	<b>Performance</b>	
VLAN support	✓	Compatible operating systems	Microsoft Windows XP, Vista, Windows 7, Windows 8, Windows10
Virtual LAN features	Port-based VLAN, VLAN mapping	<b>Certificates</b>	
Rate limiting	✓	Compliance certificates	CE, Federal Communications Commission (FCC), RoHS
Wireless isolation	✓	<b>Weight &amp; dimensions</b>	
Band steering	✓	Width	143 mm
Quality of Service (QoS) support	✓	Depth	86 mm
BeamForming	✓	Height	20 mm
Transmitting power (CE)	20 - 23 dBm		
Transmitting power (FCC)	21 dBm		

Security		Packaging data	
Security algorithms *	64-bit WEP, 128-bit WEP, 152-bit WEP, 802.1x RADIUS, HTTPS, SNMP, SNMPv3, SSH, WPA, WPA-Enterprise, WPA-PSK, WPA2, WPA2-Enterprise, WPA2-PSK	Package width	117 mm
MAC address filtering	✓	Package depth	184 mm
Service Set Identifier (SSID) features	Multiple SSIDs	Package height	33 mm
Number of SSID supported	16	Package weight	300 g
Remote Authentication Dial-In User Service (RADIUS)	✓	Package type	Box
Access Control List (ACL)	✓	Packaging content	
Protocols		Quantity per pack	1 pc(s)
Universal Plug and Play (UPnP)	✓	Mounting kit	✓
Management features		Quick start guide	✓
Web-based management	✓	Operational conditions	
Syslog	✓	Operating relative humidity (H-H)	10 - 90%
Ports & interfaces		Operating temperature (T-T)	0 - 40 °C
Ethernet LAN (RJ-45) ports *	4	Storage temperature (T-T)	-40 - 70 °C
WAN connection	Ethernet (RJ-45)	Storage relative humidity (H-H)	5 - 90%
		Sustainability	
		Sustainability compliance	✓
		Logistics data	
		Harmonized System (HS) code	85176990



0845973088972



845973088972



6935364006341



6935364088972

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.